



Water Quality Standards Attainment and Monitoring Outcome


Peter Tango

USGS@CBPO

Chair - Criteria Assessment Protocol WG

STAR Coordinator

Through the Chesapeake Bay Watershed Agreement, the Chesapeake Bay Program has committed to...



Goal: *Reduce pollutants to achieve the water quality necessary to support the aquatic living resources of the Bay and its tributaries and protect human health.*

Outcome:

Continually improve the capacity to monitoring and assess the effects of management actions being understand to implement the TMDL and improve water quality. Use the monitoring results to report annually to the public on progress made in attaining established water quality standards and trends in reducing nutrients and sediment in the watershed.



What We Want




1. Monitoring Capacity building with your support.


A vision for next steps in a successful path forward:

- **Summer 2018**. Management Board accepts Citizen Science and Nontraditional Partner MOU.
- **Summer 2018**. Management Board promotes MOU to PSC.
- **Next PSC meeting 2018**. PSC signs MOU.
- **2019 forward**. Management Board ensures partnership use of citizen science and nontraditional partner data as applicable to assessing progress towards meeting outcomes.


MOU Principles: Program Growth, New Insights & Partnerships.




Results comparison shows **better conditions with 21 sites than 1 site**




Increasing resolution
Reducing uncertainty




A Muller. USN



Which dinosaur picture has less uncertainty and more accuracy?




Marginal information



Adequate to full information



Why We Need This



1. Monitoring Capacity building with your support.

Improved capacity leads to:


- **improved accuracy** of WQS attainment assessments,
- **reduced uncertainty** about status and progress
- **earlier detection of change** in response to management actions
- **better management targeting** of limited resources.



What we Want

Model Comparison with Chesapeake Bay Program Data

Bottom Dissolved Oxygen Concentration (mg/L)




2. Use the monitoring results to report annually to the public on progress made in attaining established Bay water quality standards, and trends in reducing nutrients and sediment in the watershed.

Charge STAR with further analyses that support greater understanding of patterns in water quality attainment in the bay, and between monitoring and model results for N,P, and S reductions in the watershed.



Why We Need This



2. Use the monitoring results to report annually to the public on progress.

Enhanced data use and analyses leads to:

- **improved accuracy** of WQS attainment assessments
- **reduced uncertainty** about progress
- **earlier detection of change** in response to management actions
- **better management targeting** of limited resources
- **combat inflation** with cross GIT outcome support

1

Setting the Stage:

What are our assumptions?



Logic Behind Our Outcome

Following the Decision Framework:

Factors

- Delivering necessary financial capacity to implement practices and programs
- Improving the identification of sources and their contributions to N, P, Sed, pollutant loads


Current Efforts and Gaps

- Continue/expand monitoring and analysis efforts to coincide outputs with two-year milestones and annual progress runs needs.

Management Approaches



- Adapt the existing monitoring program
- Cit Sci/new partner support in assessments
- Continue to incorporate new land use data.
- Refine factors affecting source and loads changes.
- Better predict future pop growth and climate change impacts

Chesapeake Bay Program Partnership Monitoring Program: Networks and Analysis



Sustaining Core Networks
and Conducting Peer-reviews,
Planning, Coordination and
Implementation


- Analysis and synthesis are used to tell the stories that address stakeholder interests
- Applying adaptive monitoring is supporting Adaptive Management



Managing Uncertainty,



Assessing and
Communicating
Ecosystem Status
and
Change Effectively



Evolving Policy



Leveraging &
Growing
Partnerships



2

Progress:

Are we doing what we said we would do?



What is our progress?

Our capacity to Monitor
Watershed loads and trends: Adequate

Bay Water Quality Standards Attainment: Marginal


*Both programs show we are experiencing support
thresholds experiencing erosion and decline.*

Capacity to Monitor (USEPA 2003 scale):

1. Recommended
2. Adequate
3. Marginal



What is our progress?



(-) Inflation impacts with level funding



(-) Aging out of the infrastructure




(-) Lost monitoring partnerships

Creative Program Management for Sustaining and Growing Capacity To Fill Gaps



(+) Use of Citizen-based and nontraditional partner data.



(+) Updated assessment protocols (USEPA 2017)




(+) Partnership adapting of existing monitoring resources




Are we on track? The Bay

- 2014-16 assessment was the **best index score on record**.
- Long-term and short-term trends are improving.




Monitoring – Bay network

Estimated Achievement of Chesapeake Bay Water Quality Standards 1985-2016




% to attainment
1985-2013
Open Water



Assessing progress

Are we on track? The Watershed RIM

- N trends mostly improving. P and S trends more frequently show no change or degrading.



Monitoring – Watershed Network

Table 1. Summary of long-term (1985-2016) and short-term (2007-2016) trends in nitrogen, phosphorus, and suspended-sediment loads for the River Input Monitoring stations.
[Improving or degrading trends classified as likelihood estimates greater than or equal to 67 percent]

Monitoring station	Total nitrogen load		Total phosphorus load		Suspended-sediment load	
	Long term	Short term	Long term	Short term	Long term	Short term
SUSQUEHANNA RIVER AT CONOWINGO, MD	Improving	Degrading	Degrading	Degrading	Degrading	No trend
POTOMAC RIVER AT WASHINGTON, DC	Improving	Improving	Improving	Degrading	Improving	No Trend
JAMES RIVER AT CARTERSVILLE, VA	Improving	Improving	Improving	No Trend	Degrading	Improving
RAPPAHANNOCK RIVER NR FREDERICKSBURG, VA	Improving	Improving	Degrading	No Trend	Degrading	No Trend
APPOMATTOX RIVER AT MATOACA, VA	No Trend	Degrading	Degrading	Degrading	No Trend	Degrading
PAMUNKEY RIVER NEAR HANOVER, VA	No trend	Degrading	Degrading	No trend	Degrading	Degrading
MATTAPONI RIVER NEAR BEULAHVILLE, VA	Improving	Degrading	No Trend	Degrading	No Trend	No Trend
PATUXENT RIVER NEAR BOWIE, MD	Improving	Improving	Improving	Improving	Improving	Degrading
CHOPTANK RIVER NEAR GREENSBORO, MD	Degrading	Degrading	Degrading	Degrading	Improving	Degrading

Assessing progress in changing loads (WRTDS)

3

Challenges:

Are our actions having the expected effect?



Challenges

Maintain Monitoring Capacity

- In spite of our biggest investments in monitoring in the history of the CBP, program erosion is occurring.
- *Inflation, retiring aging infrastructure, partner loss and lack of monitoring-specific State match availability are eroding our program to the threshold of limiting monitoring program maintenance under a level funding status in the next 3 years.*

Water Quality Standards Attainment

- Low spatial density of stations and low temporal resolution often require big ecosystem changes in order to detect changes in status.



Challenges

Monitoring and Analysis

- Analysis need: Understanding the relationship between monitoring load trends with model projections for N,P and Sediment

	<u>Model</u>	<u>Monitoring</u>
N	improving	mixed
P	improving	degrading
S	improving	degrade/NT

Table 1. Summary of long-term (1985-2016) and short-term (2007-2016) trends in nitrogen, phosphorus, and suspended-sediment loads for the River Input Monitoring stations.
[Improving or degrading trends classified as likelihood estimates greater than or equal to 67 percent]

Monitoring station	Total nitrogen load		Total phosphorus load		Suspended-sediment load	
	Long term	Short term	Long term	Short term	Long term	Short term
SUSQUEHANNA RIVER AT CONOWINGO, MD	Improving	Degrading	Degrading	Degrading	Degrading	No trend
POTOMAC RIVER AT WASHINGTON, DC	Improving	Improving	Improving	Degrading	Improving	No Trend
JAMES RIVER AT CARTERSVILLE, VA	Improving	Improving	Improving	No Trend	Degrading	Improving
RAPPAHANNOCK RIVER NR FREDERICKSBURG, VA	Improving	Improving	Degrading	No Trend	Degrading	No Trend
APPOMATTOX RIVER AT MATOACA, VA	No Trend	Degrading	Degrading	Degrading	No Trend	Degrading
PAMUNKEY RIVER NEAR HANOVER, VA	No trend	Degrading	Degrading	No trend	Degrading	Degrading
MATTAPONI RIVER NEAR BEULAHVILLE, VA	Improving	Degrading	No Trend	Degrading	No Trend	No Trend
PATUXENT RIVER NEAR BOWIE, MD	Improving	Improving	Improving	Improving	Improving	Degrading
CHOPTANK RIVER NEAR GREENSBORO, MD	Degrading	Degrading	Degrading	Degrading	Improving	Degrading

Challenges: Trends and Synthesis

- (+) There are significant analysis developments extensive new syntheses and a roll out of publications in progress on trends and linkages.
- (+) Support for analysis on our teams (Emily, Qian)
- (-) There have been some reductions in statistical support due to inflationary pressures
- (+/-) Diverse synthesis support funding

4

Adaptations:

How should we adapt?



Based on what we've learned, we plan to...

- Improve capacity with your help by accepting and promoting the Citizen science and nontraditional partner MOU through PSC signing and data use by all partners.



Cross-Outcome Considerations

- Integration of Citizen Science complements work of the **Stewardship GIT and Diversity Outcome** by engaging groups and creating new leadership across the watershed plus the **Habitat GIT and Stream Health Outcome** assessment.
- Maintaining the networks supports ‘factors’ data supporting proposed priority **climate impacts and resilience indicators**.
- Improved accuracy and reduced uncertainty in water quality standards attainment assessments directly relate to **Fish Habitat Outcome** information needs.
- Trends in the watershed water quality support the **Healthy Watersheds Outcome** information needs.



What We Want




1. **Accept and promote the Citizen science and nontraditional partner MOU that support enhanced data assessments.**
2. **Charge STAR with further analyses for understanding comparisons of observed and expected trends in water quality in the bay and watershed.**

Discussion

Activity: Dinosaur fossil hunting...what did we find?




Activity: Dinosaur fossil hunting...what did we find?



A few bones of some dinosaur. What does it look like?

What does it look like?


It's about a 10 ft dinosaur, standing about 6 feet tall, small front limbs, strong hind limbs, it has about a 4 foot tail and a head as large as my chest is across.



We can paint our estimate of a full picture of it
from just a few bones


INDICATOR of Water Quality Standards Attainment Assessment

Bay Attainment	Segments ¹	Designated Uses ²	Criteria	Season	Thresholds
----------------	-----------------------	------------------------------	----------	--------	------------




BLACK is measured, known. ***BLUE*** is NOT MEASURED BY THE MONITORING PROGRAM. The Indicator ***Estimates Attainment*** at this time.

Which dinosaur picture has less uncertainty and more accuracy?




Marginal information




Adequate to full information

Which dinosaur picture has less uncertainty and more accuracy?




Marginal information

*This is our Water Quality Standards
Attainment Assessment right now*




Adequate to full information

Which dinosaur picture is has less uncertainty and more accuracy?



Marginal information

This is our Water Quality Standards Attainment Assessment right now



Adequate to full information

With new data plus USEPA 2017 we are getting closer to this.

Agreement Goals and Outcomes



Sustainable Fisheries

- Blue Crab Abundance
- Blue Crab Management
- Oyster
- Forage Fish
- Fish Habitat



Vital Habitats Goal

- Wetlands
- Black Duck
- Stream Health
- Brook Trout
- Fish Passage
- Submerged Aquatic Vegetation (SAV)
- Forest Buffer
- Tree Canopy



Water Quality Goal

- 2017 Watershed Implementation Plans (WIP)
- 2025 WIP
- Water Quality Standards Attainment and Monitoring



Toxic Contaminants Goal

- Toxic Contaminants Research
- Toxic Contaminants Policy and Prevention



Healthy Watersheds Goal

- Healthy Waters



Stewardship Goal

- Citizen Stewardship
- Local Leadership
- Diversity



Land Conservation Goal

- Protected Lands
- Land Use Methods and Metrics Development
- Land Use Options Evaluation



Public Access Goal

- Public Access Site Development



Environmental Literacy Goal

- Student
- Sustainable Schools
- Environmental Literacy Planning



Climate Resiliency Goal

- Monitoring and Assessment
- Adaptation Outcome

Our Water Quality Monitoring Funding Support has grown and is the greatest it has ever been in the history of the program.

- 2008: ~3.08M EPA funding the monitoring programs.
- 2010: ~\$4.3 Million EPA funds. Not including state match, partner funds.
- 2018: ~\$5.0M + SAV + State match efforts (not all monitoring match) + Citizen Science.



Capacity - Analysis

- EPA funding and partnerships have grown the monitoring program throughout its history to its greatest level of support ever.
- Managing budgets to address annual inflation are critical to sustaining the existing core monitoring for water quality standards.
- Incorporating newly published protocols will improve the accuracy of our index.
- Adding Citizen Science support to the monitoring program portfolio will expand our monitoring resolution in the bay.
- Adjusting the priorities of shallow water monitoring funding to targeted monitoring will improve segment assessments
- CAP WG opportunity to introduce satellite image assessment of baywide water clarity could further improve attainment assessments
- SAV monitoring program funding is being shored up.
- There are opportunities for State match/additional partners to fill gaps.

FULL Water Quality Standards Attainment Assessment for Chesapeake Bay Dissolved Oxygen, Water Clarity and Chlorophyll a

Bay Attainment	Segments ¹	Designated Uses ²	Criteria	Season	Thresholds
----------------	-----------------------	------------------------------	----------	--------	------------

